

MATERIAL SAFETY DATA SHEET

1. Product and Company Identification

Product Name		Nickel-Safe Ice Machine Cleaner (4287)			
CAS #		Mixture			
Product use		Descaler			
Manufacturer		Nu-Calgon 2008 Altom Court St. Louis, MO 63146 US Phone: 314-469-7000 / 800-554-5499 Emergency Phone: 1-800-424-9300 (CHEMTREC)			
LEGEND HMIS/NFPA		Health / 2			
Severe	4	Flammability 0			
Serious	3				
Moderate	2	Physical Hazard 0			
Slight 1		Personal Protection			
Minimal	0	Personal Protection X			
		2. Hazards Identification			
Emergency overview		WARNING EYE AND SKIN IRRITANT.			
Potential short	term health effe	cts			
Routes of e	xposure	Eye, Skin contact, Inhalation, Ingestion.			
Eyes		May cause severe irritation or chemical burns.			
Skin		This product is non-corrosive based on test data. May cause mild skin irritation.			
Inhalation		Excessive intentional inhalation may cause respiratory tract irritation and central nervous system effects (headache, dizziness).			
Ingestion		Harmful if swallowed. May cause stomach distress, nausea or vomiting.			
Target organs		Eyes. Respiratory system. Skin.			
Chronic effects		Prolonged or repeated exposure to dilutions can cause drying, defatting and dermatitis.			
Signs and symptoms		Symptoms may include discomfort or pain, excess blinking and tear production, with			

3. Composition / Information on Ingredients

marked redness and swelling of the conjunctiva.

Ingredient(s)	CAS #	Percent
Phosphoric acid	7664-38-2	15 - 40
Citric acid	77-92-9	1 - 5

4. First Aid Measures

First aid procedures	
Eye contact	Immediately flush with cool water. Remove contact lenses, if applicable, and continue flushing for 15 minutes. Obtain medical attention immediately.
Skin contact	Immediately flush with water. Wash with soap and water. Obtain medical attention if irritation persists.
Inhalation	If symptoms develop move victim to fresh air. If symptoms persist, obtain medical attention.
(Ingestion)	Do not induce vomiting. Rinse mouth with water, then drink one or two glasses of water. Obtain medical attention. Never give anything by mouth if victim is unconscious, or is convulsing.

General advice

If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Avoid contact with eyes and skin. Keep out of reach of children.

	o. The Fighting measures	
Flammable properties	Not flammable by WHMIS/OSHA criteria.	
Extinguishing media		
Suitable extinguishing media	a Dry chemical. Foam. Carbon dioxide.	
Unsuitable extinguishing media	Not available	
Protection of firefighters		
Specific hazards arising from the chemical	Not available	
Protective equipment for firefighters	Firefighters should wear full protective clothing including self contained breathing apparatus.	
Hazardous combustion products	May include and are not limited to: Oxides of carbon. Oxides of phosphorus.	
Explosion data		
Sensitivity to mechanical impact	Not available	
Sensitivity to static discharge	Not available	
	6. Accidental Release Measures	
Personal precautions	Keep unnecessary personnel away. Do not touch or walk through spilled material. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Keep people away from and upwind of spill/leak.	
Methods for containment	Stop leak if you can do so without risk. Prevent entry into waterways, sewers, basements or confined areas.	
Methods for cleaning up	Before attempting clean up, refer to hazard data given above. Small spills may be absorbed with non-reactive absorbent and placed in suitable, covered, labelled containers. Prevent large spills from entering sewers or waterways. Contact emergency services and supplier for advice. Never return spills in original containers for re-use.	
	7. Handling and Storage	
Handling	Use good industrial hygiene practices in handling this material. Do not get this material in your eyes, on your skin, or on your clothing.	
Storage	Keep out of the reach of children. Store in a closed container away from incompatible materials.	
8. Exi	posure Controls / Personal Protection	

5. Fire Fighting Measures

Exposure limits Ingredient(s)	Exposure Limits	
Citric acid	ACGIH-TLV	
	TWA: 10 mg/m3	
	OSHA-PEL	
	TWA: 10 mg/m3	
Phosphoric acid	ACGIH-TLV	
	TWA: 1 mg/m3	
	STEL: 3 mg/m3	
	OSHA-PEL	
	TWA: 1 mg/m3	
Engineering controls	General ventilation normally adequate.	
Personal protective equipment		
Eye / face protection	Wear chemical goggles.	
Hand protection	Rubber gloves. Confirm with a reputable supplier first.	

Skin and body protection **Respiratory protection**

As required by employer code.

Where exposure guideline levels may be exceeded, use an approved NIOSH respirator. Avoid breathing mists or vapors.

General hygiene considerations Use good industrial hygiene practices in handling this material. When using do not eat or drink. Wash hands before breaks and immediately after handling the product.

9. Physical & Chemical Properties

Appearance	liquid.
Color	green
Form	Liquid
Odor	Mild chemical
Odor threshold	Not available
Physical state	Liquid
рН	< 1
Melting point	Not available
Freezing point	-18 °C (-0.40 °F)
Boiling point	> 93 °C (> 199.40 °F)
Flash point	None
Evaporation rate	Not available
Flammability limits in air, lower, % by volume	Not available
Flammability limits in air, upper, % by volume	Not available
Vapor pressure	Not available
Vapor density	Not available
Specific gravity	1.19
Octanol/water coefficient	Not available
Solubility (H2O)	Complete
Auto-ignition temperature	Not available
VOC (Weight %)	Not available
Viscosity	Not available
Percent volatile	Not available

10. Chemical Stability & Reactivity Information

Chemical stability	Stable under recommended storage conditions.
Conditions to avoid	Reacts violently with alkaline material. This product may react with reducing agents. Do not mix with other chemicals.
Incompatible materials	Bases. Reducing agents.
Hazardous decomposition products	May include and are not limited to: Oxides of carbon. Oxides of phosphorus.
Possibility of hazardous reactions	Hazardous polymerization does not occur.

11. Toxicological Information

Component analysis - LC50			
Ingredient(s)	LC50		
Citric acid	Not available	Välillä falska för sin första första för av sin för anna som	sken konstant kat kirking kirking som
Phosphoric acid	Not available		
Component analysis - Oral LD50			
ingredient(s)	LD50		
Citric acid	5040 mg/kg mouse; 3000 mg/kg rat		
Phosphoric acid	1530 mg/kg rat		
Effects of acute exposure			
Eye	May cause severe irritation or chemic	al burns.	
#18468	Page 3 of 6	Issue date	01-Aug-2008

4287

Skin	This product is non-corrosive based on test data. May cause mild skin irritation.		
Inhalation	Excessive intentional inhalation may cause respiratory tract irritation and central nervous system effects (headache, dizziness).		
Ingestion	Harmful if swallowed. May cause stomach distress, nausea or vomiting.		
Sensitization	Non-hazardous by WHMIS/OSHA criteria.		
Chronic effects	Non-hazardous by WHMIS/OSHA criteria.		
Carcinogenicity	Non-hazardous by WHMIS/OSHA criteria.		
Mutagenicity	Non-hazardous by WHMIS/OSHA criteria.		
Reproductive effects	Non-hazardous by WHMIS/OSHA criteria.		
Teratogenicity	Non-hazardous by WHMIS/OSHA criteria.		

12. Ecological Information

Ecotoxicity	Components of this product have been identified as having potential environmental concerns.		
Ecotoxicity - Freshwater Fish Spe	cies Data		
Citric acid	77-92-9	96 Hr LC50 Lepomis macrochirus: 1516 mg/L [static]; 96 Hr LC50 Leuciscus idus: 440 mg/L [static]	
Phosphoric acid Ecotoxicity - Microtox Data	7664-38-2	96 Hr LC50 Gambusia affinis: 3-3.5 mg/L	
Citric acid Ecotoxicity - Water Flea Data	77-92-9	15 Min EC50 Photobacterium phosphoreum: 14 mg/L	
Citric acid Phosphoric acid	77-92-9 7664-38-2	72 Hr EC50 Daphnia magna: 120 mg/L 12 Hr EC50 Daphnia magna: 4.6 mg/L	
Environmental effects	Not a	vailable	
Aquatic toxicity	Not a	vailable	
Persistence / degradability	Not a	vailable	
Bioaccumulation / accumulation	Not a	vailable	
Partition coefficient	Not a	vailable	
Mobility in environmental media	Not a	wailable	
Chemical fate information	Not a	vailable	
<u>,,,,,,,, .</u>	13	. Disposal Considerations	
Waste codes	Not a	vailable	
Disposal instructions	Dispo	se in accordance with all applicable regulations.	
Waste from residues / unused products	d Not available		
Contaminated packaging	Not a	vailable	
	1	4. Transport Information	
U.S. Department of Transportation			
Not regulated as dangerous go			
Transportation of Dangerous Go Not regulated as dangerous go	-	- Canada)	
. <u>, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,</u>	1	5. Regulatory Information	
Canadian federal regulations	Produ	product has been classified in accordance with the hazard criteria of the Controlled ucts Regulations and the MSDS contains all the information required by the olled Products Regulations.	
Canada - WHMIS - Ingredient Dis	closure List		
Citric acid Phosphoric acid	77-92-9 7664-38-2	1 % 1 %	
US Federal regulations	This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200. All components are on the U.S. EPA TSCA Inventory List.		
U.S CERCLA/SARA - Hazardou	us Substance	es and their Reportable Quantities	
Phosphoric acid	7664-38-2	5000 Lb final RQ; 2270 kg final RQ	

Occupational Safety and Health Administration (OSHA)

29 CFR 1910.1200 hazardous Yes chemical

CERCLA (Superfund) reportable quantity

Phosphoric acid: 5000.0000

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Immediate Hazard - Yes

Hazard categories

	Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No
Section 302 extremely hazardous substance	No
Section 311 hazardous chemical	Yes
Clean Air Act (CAA)	Not available
Clean Water Act (CWA)	Not available
Safe Drinking Water Act (SDWA)	Not available
Drug Enforcement Agency (DEA)	Not available
Food and Drug Administration (FDA)	Not available
WHMIS status	Controlled
WHMIS classification	Class D - Division 2B
WHMIS labeling	

State regulations	This product does not contain a chemical known to the State of California to cause cancer, birth defects or other reproductive harm.			
U.S California - 8 CCR Se	ction 339 - Director's	List of Hazardous Substances		
Phosphoric acid U.S Louisiana - Reportabl	7664-38-2 le Quantity List for Po	Present Dilutants		
Phosphoric acid U.S Massachusetts - Righ	7664-38-2 It To Know List	5000 Lb final RQ; 2270 kg final RQ		
Phosphoric acid U.S Minnesota - Hazardor	7664-38-2 us Substance List	Present		
Phosphoric acid U.S New Jersey - Right to	7664-38-2 Know Hazardous Su	Present bstance List		
Phosphoric acid U.S New York - Reporting	7664-38-2 of Releases Part 597	sn 1516 - List of Hazardous Substances		
Phosphoric acid U.S Pennsylvania - RTK (7664-38-2 Right to Know) List	5000 Lb RQ (air); 100 lb RQ (land/water)		
Phosphoric acid U.S Rhode Island - Hazard	7664-38-2 lous Substance List	Environmental hazard		
Phosphoric acid	7664-38-2	Toxic; Flammable		
Inventory name				
Country(s) or region	Inventor	y name	On inventory (yes/no)*	
Canada	Domesti	c Substances List (DSL)	Yes	
Canada	Non-Dor	nestic Substances List (NDSL)	No	

A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

Toxic Substances Control Act (TSCA) Inventory

United States & Puerto Rico

Yes

16. Other Information

Disclaimer	Information contained herein was obtained from sources considered technically accurate and reliable. While every effort has been made to ensure full disclosure of product hazards, in some cases data is not available and is so stated. Since conditions of actual product use are beyond control of the supplier, it is assumed that users of this material have been fully trained according to the requirements of all applicable legislation and regulatory instruments. No warranty, expressed or implied, is made and supplier will not be liable for any losses, injuries or consequential damages which may result from the use of or reliance on any information contained in this document.
Issue date	01-Aug-2008
Effective date	01-Aug-2008
Expiry date	01-Aug-2011
Prepared by	Nu-Calgon Technical Service (314) 469-7000